## APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Data of filing in State Provinced Office MAY	7 1964
Date of ming in State Engineer's Office.	-0 10CA
Returned to applicant for correction	7 1964 -9 1964
Corrected application filed	
	·
	<u>s</u>
of 10235 Bryson Ave., South Gate ,	County of: Los Angeles ,
State of California , hereby	makes application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If	applicant is a corporation, give date and place of incorpora-
_ ····	."
	embers.)
	<u>, in the second of the second</u>
	Groundwater
	Ivalife of Sitealit, fract of Option Boddes.
2. The amount of water applied for is	8.9% second-feet One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet	2.5 acre-feet
3. The water to be used forIx	rigation
4. If use is for:	on, power, mining, manufacturing, domestic, or other use.
•	I) 320 acres
	to be watered)None
(c) Other use (describe fully under "No. 11. Remains	arks")
(d) Power:	
(1) Horsepower developed	
(2) Point of return of water to stream	
	ollowing point:See_drawing
Describe as being within a 40-acre subdivision of public surve	y, and by course and distance to a section corner. If on unsurveyed land,
it should be stated.	
6. Place of use South 1/2 of Section 12,	T16N, R44E, Lander County, State of Nevada
•	
•	3.
7. Use will begin about <u>March</u> and Month	
	ons of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.)	Drill well and carry water in pipes
and ditches	
State manner in which water is to be diverted, whether by da	m or other works, whether through pipes, ditches, flumes, or other conduits.
· · · · · · · · · · · · · · · · · · ·	

9.	Estimated cost of works \$5,000 to \$6,000
10.	Estimated time required to construct works One year from start of well
11.	Remarks This application is for water to meet the requirement of Desert
·	Land Entry for the Bureau of Land Management. I propose a well from
	200' to 500' deep with work to start in two to five years. The minimum
	amount of water used would be that required by the Bureau of Land
	Management.
App	licants/Edwin_L_Richards
	Ву
Corr	pared
, , , , ,	
	OF STATE ENGINEER
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
follo	wing limitations and conditions:
*******	
-	·
•	
<del></del>	
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not to	o exceedcubic feet per second
Actu	al construction work shall begin on or before
Proo	f of commencement of work shall be filed before
	k must be prosecuted with reasonable diligence and be completed on or before
	f of completion of work shall be filed before
Appl	lication of water to beneficial use shall be made on or before
Proo	f of the application of water to beneficial use shall be filed on or before
Map	in support of proof of beneficial use shall be filed on or before
	nencement of work-filed
	nencement of work filed
Cultu	ral map filed,, of
Certif Recor	- Alig_1 7 cost.
	CANCELLED County Because OF FAILURE State Engineer.  State Engineer.